PHILIPPINE COMPETITION COMMISSION
Ensuring businesses compete and consumers benefit

25/F Vertis North Corporate Center I,
North Avenue, Quezon City 1105
www.phcc.gov.ph
queries@phcc.gov.ph
(+632) 8771 9722
(+632) 8771 9713

REQUEST FOR QUOTATION

Supply and Delivery of Various ICT Teleconference Supplies and Components

P.R. No./Date Received: **2025-10-0168 / 27 October 2025** RFQ/P No. / Date: **2025-12-0199 / 02 Dec. 2025**

The Philippine Competition Commission invites all eligible and PhilGEPS-registered suppliers, contractors and consultants to quote the best offer for the described item in the attached **Technical Specifications** subject to the Terms and Conditions and within the Approved Budget for the Contract.

Required Documents/Information to be submitted as Attachments to the Proposal:

- Valid Mayor's/Business Permit / BIR Cetificate of Registration in case of individual.
- PhilGEPS Registration Number
- Notarized Omnibus Sworn Statement and Secretary's Certificate
- Latest Income Tax Return
- Signed Request for Proposal
- Signed Detailed Technical Specifications

This pro-forma quotation maybe submitted through ***registered*** or ***electronic mail*** to the PCC Bids and Awards Committee (PBAC) Secretariat at above address or email to ***procurement@phcc.gov.ph*** or ***mrfajutnao@phcc.gov.ph*** on or before **09 December 2025, 2:00PM** subject to the following *Terms and Conditions:*

1. All entries shall be typed or written in a clear legible manner.
2. No alternate quotation/offer is allowed, suppliers who submitted more than one quotation shall be automatically disqualified.
3. All prices offered herein are valid, binding and effective for THIRTY (30) calendar days upon issuance of this document. Alternative bids shall be rejected.
4. Price quotations to be denominated in Philippine Peso shall include all applicable government taxes subject to **(BIR 2306)** 5% R-VAT and **(BIR 2307)** 1% (PO) or 2% (JO) deductions.
5. PCC PBAC may require you to submit documents that will prove your legal, financial and technical capability to undertake this contract.
6. Salient provisions of the IRR of RA 12009: Section 71 - Liquidated Damages and Section 98 - Imposition of Administrative Penalties shall be observed.
7. PCC reserves the right to reject any and all quotations, declare a failure, or not award the contract pursuant to Sec 70 of the same IRR.
8. In case of tie quotations, suppliers' presence are required during tie breaking through draw lots or toss coin.
9. In case supplier pro forma quotation is submitted, conditions will be governed by the submitted signed **Technical Specifications**.
10. The award of the procurement is on a **per item basis.**
11. This project adopts the Implementing Rules and Regulations of RA 12009.

Very truly yours,

ATTY. CHRISTIAN LOREN DE LOS SANTOS
Acting Vice Chairperson

Item	QTY	Unit	Total ABC	Item/Description	Total Amount (PhP) *(To be filled-out by the supplier)*
1	1	lot	₱ 612,740.12	Supply and Delivery of ICT Equipment for Various Teleconference	
2	1	lot	₱ 200,000.00	Supply and Delivery of ICT Equipment and Accessories for Network Components	
Total ABC			**₱ 812,740.12**	**TOTAL Amount:**	
Delivery Instructions:				*(Please see attached Technical Specifications)*	

*(Please provide **complete** information below)*

We undertake, if our Proposal is accepted, to supply/deliver the goods in accordance with the specifications and/or delivery schedule.

We agree to abide by this proposal for the price validity period specified in the terms and conditions and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Until a Purchase/Job Order or a Contract is prepared and executed, this Proposal shall be binding upon us. We understand that you are not bound to accept the lowest or any Proposal you may receive.

Signature over Printed Name : _____
Designation/Position : _____
Name of Company : _____
Address : _____
Telephone / Fax : _____
E-mail Address: _____
Company Tax Identification Number : _____

TÜVRheinland CERTIFIED Management System ISO 9001:2015 www.tuv.com ID 9106052446
BAGONG PILIPINAS

PHILIPPINE COMPETITION COMMISSION
Ensuring businesses compete and consumers benefit

25/F Vertis North Corporate Center I,
North Avenue, Quezon City 1105
www.phcc.gov.ph
queries@phcc.gov.ph
(+632) 8771 9722
(+632) 8771 9713

DETAILED TECHNICAL SPECIFICATIONS

PROJECT TITLE: Supply and Delivery of Various ICT Teleconference Supplies and Components
ABC: PHP 812,740.12
Mode of Procurement: Small Value Procurement

Lot 1. Supply and Delivery of ICT Equipment for Various Teleconferences		
Qty.	**Unit**	**Description/Minimum Specification**
20 20	PCS PCS	**10 Meters HDMI Cables** **15 Meters HDMI Cables** **Compatibility** • Computers and AV receivers • Compatible Devices media boxes, TVs, monitors, projectors, etc. **Specifications** • Cable Length 10 meters • HDMI Version HDMI 1.4 (4K up to 30Hz for this length) • Max Resolution At least 4K @ 30Hz; 1080P @ 60Hz • At least Shielding Triple (ground + foil + braid) • Connectors braided HDMI male • Materials Tin-plated copper core • Features Ethernet channel, ARC, HDCP, Deep Color, 3D, Dolby TrueHD/DTS- HD support • Factory manufactured **Warranty & Support** • 1-year warranty **Delivery period:** 15 to 30 days
20	Units	**MONITOR** **Specifications:** • Size & Panel: 34-inch curved screen using a VA (Vertical Alignment) panel. • Resolution: 3440 × 1440 pixels (Ultrawide WQHD). • Aspect Ratio: 21:9. • Curvature: 1500R • Refresh Rate: 180Hz • Response Time: 1 ms • Brightness: 400 nits typical. • Viewing angles: 178° (H) / 178° (V) **Features:** • FreeSync Premium Pro technology reduce screen tearing and lag during productivity like editing, multitasking and widescreen workflows.

25/F Vertis North Corporate Center I,
North Avenue, Quezon City 1105
www.phcc.gov.ph
queries@phcc.gov.ph
(+632) 8771 9722
(+632) 8771 9713

		• Low blue light mode and DC dimming for eye protection (TÜV Low Blue Light certified). • RGB ambient lighting / backlight effects. • Narrow bezels on three sides for more immersive look. • Multifunctional stand: tilt, vertical adjustment, some horizontal rotation, plus possibility of wall mounting (wall mount bracket sold separately). • Multiple ports: 2 × DisplayPort 1.4, 2 × HDMI 2.0. **Accessories:** • 1x HDMI Cable, 1x Dispay Cable • Power Cord **Warranty & Support** • 1-year warranty **Delivery period**: 15 to 30 days

25/F Vertis North Corporate Center I,
North Avenue, Quezon City 1105
www.phcc.gov.ph
queries@phcc.gov.ph
(+632) 8771 9722
(+632) 8771 9713

Lot 2. Supply and Delivery of ICT Equipment and Accessories for Network Components		
Qty.	**Unit**	**Description/Minimum Specification**
10	UNITS	**MULTIFUNCTION ADAPTER** **Specifications** • Hardware Interface: USB, USB Type C, Ethernet, HDMI • Data Transfer Rate: USB-C 5 Gbps (DP 1.4a / HDCP 2.2) • USB Ports: 3 × USB 3.0 • Power Delivery: 100W (USB-C PD Port) • Ethernet: 1 × RJ45 (10/100/1000 Mbps) • HDMI: 1 × HDMI (HDMI 2.0 / HDCP 2.0) • Dimensions: 115 ×35 × 13 mm • Weight 130 g **Features:** • Multifunction Adapter with Ethernet combines many additional ports in a very compact design, including 3 USB A 3.0 ports, a 4K 30Hz HDMI port, a USB C PD port and a Gigabit Ethernet port, which offer more possibilities at work. • 4K HDMI output: the HDMI port of the USB C hub supports a high resolution of up to 4K@30Hz and ensures vivid and detailed image reproduction. The 4K HDMI output offers the possibility to mirror or extend the display of your laptop to a TV, monitor or projector. • High-speed data transfer and network access: The USB C hub lan with high-speed data transfer (up to 5Gbps) is convenient for users who need to transfer large amounts of data. The Gigabit Ethernet connection offers stable and fast Internet access (up to 1000Mbps) without restrictions. • Power Delivery Charging The USB C Ethernet adapter, which supports PD, can charge a laptop or other devices while you are in operation. This eliminates the need for an additional charger and allows for free sockets. **Compatibility:** • Wide Compatibility USB C hub is universally compatible, designed to work with many devices that have a USB C port. • The USB C LAN Hub also works seamlessly with Windows, macOS and Linux systems. **WARRANTY & SUPPORT** • 1-year warranty **Delivery period**: 15 to 30 days

25/F Vertis North Corporate Center I,
North Avenue, Quezon City 1105
www.phcc.gov.ph
queries@phcc.gov.ph
(+632) 8771 9722
(+632) 8771 9713

1	Box	**LAN CABLE** **Specifications** • Type: Outdoor Cat6 UTP Cable, 305M • Material: At least Oxygen Free Copper (OFC) • Conductor: At least 23AWG (1/0.55mm) • Insulation: HDPE 0.96mm • Twisted Pairs: 4 Pairs • Separator: Polyolefin Tape **Features** • Suitable for outdoor use • Available in two material options: C6OD-C305: Oxygen Free Copper (OFC) • Durable dual jacket protection: Inner PVC, Outer PE • Includes rip cord and separator for better structure and strength • Supports high-speed data transmission **Warranty & Support** • 6 months warranty **Delivery period**: 15 to 30 days
1	PC	**FIBER SPLICER KIT** **Specifications** • **Applicable Fiber Types**: SM, DS, NZDS(G655), MM (G651), Bare, Drop, Rubber-insulated, Multi-core (≤8 cores) • **Splice Modes**: 6 modes (manual + auto focus) • **Sleeve Length Supported**: At least 40mm, 50mm, 60mm • **Fiber Cleave Lengths**: At least 60–100mm (250µm, 900µm) • **Return Loss**: >60dB • **Splicing Time**: At least 5–8 seconds • **Heating Time**: At least 15 seconds (typical) • **Electrode Life**: 3000 times (up to 5000 after grinding) • **Battery**: At least 5200mAh lithium – up to 180 splicing cycles • **CPU**: At least 4-core with 8M FLASH and 1G DDR3L • **Power Input**: DC13.5V / 4.5A • **AC/DC Adapter Input**: 100–240V, 50/60Hz • **Charging**: USB-C / DC / lithium battery • **Data Interfaces**: USB, TF card, HDMI, USB2.0, RS-232 **Features** • At least 5-inch TFT multitouch smart touch screen • Core alignment with 6 motors and auto-focus • Real-time dual optical imaging with electrode monitor • High-speed splicing (up to 5–8 seconds typical)

25/F Vertis North Corporate Center I,
North Avenue, Quezon City 1105
www.phcc.gov.ph
queries@phcc.gov.ph
(+632) 8771 9722
(+632) 8771 9713

		• Fast heating time (up to 15 seconds) with intelligent heating and wind shield • Supports 800x magnification • Android-based operating system with 6 brightness levels • 6 splicing modes including Normal & High Precision • Bright fiber microscope (400x magnification) • Data communication via USB / TF / HDMI / USB2.0 / RS-232 • Up to 180 splices per full battery charge • Fusion cleaver and sleeve compatibility: 40mm, 50mm, 60mm • IPX5.2 waterproof and IP6.5 dust-proof • Anti-fall design **Warranty & Support** • 1 Year warranty **Delivery period:** 15 to 30 days
2	UNIT	**FIBER OPTIC LIGHT TESTER** **Features** • Quickly identifies fiber breakpoints, poor connections, bending, or cracking • Ideal for fiber tracing, routing, and continuity checking • Available output: 5mW–50mW Visual Fault Locator. **Specifications** • Output Power Range: At least 5mW–50mW (Visual Fault Locator) • Connector Type: 2.5mm universal connector • Supported Interfaces: FC, SC, ST • Power Supply: AA Battery • Material: Aluminum alloy • Circuit Type: APC (Advanced Power Circuit) **Warranty & Support** • 1 Year warranty **Delivery period**: 15 to 30 days

25/F Vertis North Corporate Center I,
North Avenue, Quezon City 1105
www.phcc.gov.ph
queries@phcc.gov.ph
(+632) 8771 9722
(+632) 8771 9713

1	UNIT	**FIBER THERMAL HOT JACKET STRIPPER** **Features** • High Efficiency: Can strip multiple fibers (At least 12 x 250µm or 6 x 900µm) at once. • TYPE-C Charging Support: Allows charging via mobile chargers and power banks, supports work-while-charging. **Specifications** • Ribbon fiber cable stripper with thermal heater • **Battery**: Built-in At least 3500 mAh lithium battery • **Fiber Capacity**: - 12 fibers of 250µm - 6 fibers of 900µm • **Upper Cover**: Equipped with rubber for firm optical fiber locking. **Warranty & Support** • 1 Year warranty **Delivery period**: 15 to 30 days
10	PCS	**Cleaning Kit** **Each kit shall be composed of the the following:** • 1 × Storage Box • 1 × Large Cleaning Brush • 1 × Screen Cleaning Cloth • 1 × Dust Removal Gas Blowing (Suitable for Camera Surface Dust Removal Treatment) • 1 × Air Blown Extension Short Rod • 1 × Accessory Extension Rod (Extension Accessory Handle) • 1 × Screen Cleaner Liquid • 1 × Small Hard Bristle Brush • 1 × Small Soft Bristle Brush • 1 × Shaft Puller • 1 × Card Retrieval Pin • 1 × Key Extractor • 1 × Small Elbow Brush • 1 × Headphone Compartment Cleaning Pile • 1 × Headphone Brush • 1 × Clean the Pen Tip • 1 × Soft Bristle Short Brush • 1 × Headphone Charging Compartment Brush • 1 × Camera Screen Brush • 1 × Air Blown Extended Long Rod **Compatible:**

25/F Vertis North Corporate Center I,
North Avenue, Quezon City 1105
www.phcc.gov.ph
queries@phcc.gov.ph
(+632) 8771 9722
(+632) 8771 9713

		• Compatible with most mobile phones, tablets, computers/Laptop, cameras, camcorders, keyboards, and other digital devices. **Warranty** • 6 Months warranty • Delivery period: 15 to 30 days
7	Units	**PRECISION SCREWDRIVER SET** **Each set shall be composed of the following:** • 1 x Suction cup with card pin • 1 x Straight iron crowbar • 1 x Wide crowbar • 1 x Small crowbar • 2 x Short crowbars • 1 x Extension hose • 1 x Handle • 1 x Tweezers • 1 x Magnetizer • 8 x Blue triangles • 1 x Cleaning cloth • 1 x Cleaning brush • 1 x Magnetic pad • 120 x Precision screwdriver bits **Features:** • **Various Screwdriver Bits**: Includes 120 precision bits in multiple types such as Phillips, pentalobe, torx, hex, slotted, triangle, square, and more suitable for most repair needs. • **Magnetic Pad and Magnetizer**: Helps retain screws and small components to avoid loss. The magnetizer can enhance or remove magnetic properties from bits as needed. **Warranty & Support** • 6 months warranty **Delivery period**: 15 to 30 days
5	Units	**RJ45 Crimping Tool** **Features** • Works with Cat5e, Cat6, Cat6a RJ45 connectors (8P8C pass-through plugs). • Supports cable diameters / wire sizes from 26 AWG to 23 AWG. • Integrated tool: combining cutting, stripping, and crimping in one device, so you don't need separate tools. • Mini or compact design: about 2/3 the size of traditional crimpers, and about 1/3 lighter than typical plier-style crimp tools. • Precision crimp die / moulds processed with laser milling; grooves are deep, teeth pitch/width engineered for accuracy versus wire size ("accuracy

25/F Vertis North Corporate Center I,
North Avenue, Quezon City 1105
www.phcc.gov.ph
queries@phcc.gov.ph
(+632) 8771 9722
(+632) 8771 9713

		close to 'wire'"). • Replacement Blade: the blade is secured in a special slot + black clip + nail for stable cutting and crimping; meant to avoid misalignment / looseness after multiple uses **Specifications** • Size: 14 cm • Material: Metal • Dimensions: 5.2 in length × 1.2 in width • Grip / Handle: Contoured and textured for better handling. **Compatibility** • Designed for use on pass-through RJ45 connectors / modular plugs, especially when wiring Ethernet (Cat5e/6/6a) cables that require clean stripping, cutting, and reliable connection. • Works with wire gauges 26 to 23 AWG so most standard Ethernet patch cables and bulk Ethernet cable types will be compatible. Thicker or thinner wires outside that range may not properly fit or crimp securely. • Suited for professional, telecom, networking installations, especially where space or portability is a concern because of its compact size. **Inclusion** • 1 Box of RJ45 pass through **Warranty & Support** • 6 months warranty **Delivery period:** 15 to 30 days

I. Payment Scheme

Full payment of the contract shall be made within fifteen (15) days after the issuance of the following:

a. Invoice by the Service Provider; and delivery receipt
b. Inspection and Acceptance Report (IAR) and/or Certificate of Satisfactory Service by the PCC.

All payments shall be released and claimed within the PCC premises.

25/F Vertis North Corporate Center I,
North Avenue, Quezon City 1105
www.phcc.gov.ph
queries@phcc.gov.ph
(+632) 8771 9722
(+632) 8771 9713

II. Information Security and Non-Disclosure Agreement

To ensure the Philippine Competition Commission (PCC) maintains a high standard of information security when engaging with third-party providers, all suppliers are required to comply with the established PCC Information Security Management System (ISMS). These requirements are outlined in the Supplier Security Policy (POL-PCC-GSD 02-03) and related ISMS policies and procedures.

All data, documents, records, configuration files, and metadata (collectively referred to as "Information") provided to the supplier(s) for the purpose of delivering services are considered confidential and remain the exclusive property of PCC. The supplier(s) shall recognize the critical importance of maintaining the security and confidentiality of the Information and agree to prevent its unauthorized transfer, disclosure, or use by any third party. The supplier(s) shall not use the Information for any purpose other than to perform the agreed-upon services. Furthermore, the supplier(s) shall ensure that, upon completion of the service, they will not retain any portion of the Information in any form whatsoever.

The following must be submitted after the issuance of Notice of Award or Purchase Order or Job Order:

- Notarized Non-Disclosure Agreement

The documents will be submitted to the ISMS Secretariat in compliance with the approved PCC Information Security Management System, and will not form part of the submission for payment processing.

PREPARED BY:

ALVIN U. BOSQUE
ITO I, AO-ICTD

REVIEWED BY:

ALLAN ROY D. MORDENO
Chief, ICT Division

APPROVED BY:

JESON Q. DE LA TORRE
Director IV, AO

PHILIPPINE COMPETITION COMMISSION
Ensuring businesses compete and consumers benefit

25/F Vertis North Corporate Center I,
North Avenue, Quezon City 1105
www.phcc.gov.ph
queries@phcc.gov.ph
(+632) 8771 9722
(+632) 8771 9713

Conforme:

Name and Signature of Authorized Representative

Designation

Name of Company

TÜVRheinland CERTIFIED
Management System
ISO 9001:2015
www.tuv.com
ID 9108652446